



Community Newsletter - City of New Haven - June, 2017



Terry
McDonald,
Mayor

New Haven Night at the Tincaps

Summertime and warm weather bring people out to enjoy community events. We would like to remind everyone to watch out for pedestrians, children, bicycles, and motorcycles. Also, please make sure you watch out for road crews as we continue with road projects. Enjoy your summer and be safe.

One of our upcoming community events includes a "Night at the Tincaps". Join us for an evening of fun on Thursday, August 3, 2017 at Parkview Field. For more information about tickets, please contact the New Haven Chamber of Commerce at 749-4484.



New Haven Night At the TinCaps

Join us as we celebrate!
Tickets Just \$7 each



Date
Thursday,
August 3

Game Time
7:05 PM

Vs. West Michigan
Whitecaps

 **PARKVIEW***Field*

CELEBRATE NEW HAVEN

REPRESENTATIVES FROM THE CITY WILL BE
ON HAND TO THROW OUT THE FIRST PITCH

THIRSTY THURSDAY

GREAT DRINK SPECIALS, INCLUDING \$1
DOMESTIC DRAFFTS AND \$2 MIXED DRINKS

POSTGAME FIREWORKS SHOW

AFTER THE GAME, WE WILL SHOOT OFF
FIREWORKS STRAIGHT FROM CENTERFIELD!

RUN THE BASES

AFTER THE GAME, ALL FANS ARE WELCOME
ON THE FIELD!

New Haven Night at the TinCaps – Thursday, August 3rd

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: (____) _____

Email: _____

METHOD OF PAYMENT: Check (Payable to New Haven Chamber of Commerce)

VISA MasterCard American Express

Card# _____ Exp. _____ / _____

Please return ticket orders and money by Friday, July, 14th

New Haven Chamber of Commerce . P.O. Box 66, New Haven, IN 46774

Phone: (260) 749-4484 . Fax: (260) 749-7900 . info@newhavenindiana.org . www.newhavenindiana.org

NEW HAVEN
CHAMBER OF COMMERCE
\$7 each

Number of Tickets

CONTACT INFORMATION

City Court.....	748-7878
Clerk-Treasurer	748-7010
Code Enforcement.....	748-7060
Drug/Crime Tip Hotline.....	748-7099
Engineering.....	748-7030
EMS.....	749-1235
Fire.....	493-7500
Mayor's Office.....	748-7070
Parks.....	749-2212
Planning/Permits.....	748-7040
Police Non-Emergency.....	748-7080
Sewer/Water (24 Hr. Emergency).....	414-9097
Street Dept.....	748-7056
Utility Office.....	748-7050

ENGINEERING PROJECTS

Updates on current street resurfacing projects
are available on our website at
www.newhavenin.org

CITY HALL BUSINESS HOURS

	Mon. - Thurs.	Friday
City Court	7:30a-4:00p	7:00a - 3:30p
Clerk-Treas.	7:00a-4:00p	7:00a - 3:30p
Engineering	7:00a-4:00p	7:00a - 3:30p
Mayor	7:30a-4:00p	7:00a - 3:30p
Utilities	7:00a-4:00p	7:00a - 3:30p
Street Dept.	7:00a-4:00p	7:00a - 3:30p
Planning Dept.	7:00a-4:00p	7:00a - 3:30p
Planning (Tues.)	7:00a-7:00p	

UTILITY BILL - CREDIT CARD PAYMENTS

To pay your utility bill by phone with a credit
card, please contact (866) 670-3036.

◊ Meetings at New Haven City Hall ◊
(Park Board Meets at the Community Center)

July

07/03	Board of Works	9:30 a.m.
07/03	Park Board	6:00 p.m.
07/04	Independence Day	CLOSED
07/11	City Council	7:00 p.m.
07/18	Board of Works	9:30 a.m.
07/18	Plan Commission	7:00 p.m.
07/19	BZA	7:00 p.m.
07/20	Fire/EMS	7:00 p.m.
07/25	City Council	7:00 p.m.



**2017 New Haven
Farmer's Market**
Wednesdays
June 21st -September 20th
Schnelker Park
4:00-7:00 p.m.



The 2017 season of the New Haven Farmers Market will be held on Wednesday afternoons from 4:00-7:00 p.m. in Schnelker Park beginning June 21st and running through September 20th. The Farmers Market will offer fresh local produce, locally homemade prepared foods, and locally home-crafted goods to the families of our community. We invite you to bring your family downtown to shop local with our vendors and be a part of this experience. Plan to stay a while and listen to live music, play with the kids, eat dinner beneath the shade of trees and create memories to last a lifetime.

For more information, contact the Park Office at (260) 749-2212 or visit our website at www.newhavenparksandrec.org.

NEW HAVEN
SUBSCRIPTION EMS



The New Haven Subscription EMS **program is offered only once a year** and the deadline is rapidly approaching. If you would like an application, you can download a copy by visiting our website at www.newhavenin.org or by contacting the New Haven EMS at 749-1235.

Complete the application, sign the form and mail it with your check or money order today. Visa and MasterCard are also acceptable methods of payment. **Your application and \$55.00 payment must be received by June 30, 2017 when the membership drive ends.**

Be sure to carefully review your coverage and membership contract. For any questions about coverage or how to complete the application, please contact the New Haven EMS at 749-1235.

Deadline is June 30, 2017



Fireworks Reminders



As we prepare to celebrate Independence Day, the City of New Haven would like to remind residents that Indiana state law (I.C. §22-11-14-10.5) regulates the usage of consumer fireworks within the State of Indiana to specific dates and times listed below.

Additionally, §93.52 of the New Haven Municipal Code states that: (A) No person within the City of New Haven may use, ignite or discharge or permit to be used, ignited or discharged any type of consumer fireworks on any other day or time other than the following:

June 29	June 30	July 1	July 2	July 3
July 5	July 6	July 7	July 8	July 9

(between the hours of 5:00 p.m. to two hours after sunset)

July 4th
(between the hours of 10:00 a.m. and 12:00 midnight)

Holidays for usage of consumer fireworks include: Memorial Day, July 4, Labor Day and New Year's Eve.

For a copy of the Indiana Code regarding fireworks, please visit www.in.gov. For a copy of the Ordinance for New Haven, visit our website at www.newhavenin.org.



**Jury Pool
Summer Hours
2017**



**Daily
12:30-8:00 p.m.**

**Pool
(260) 245-0152**



Do you have a summer pool pass or do you have an event and would like to book a party? Pool passes and facility rentals are available for all types of summer events.

For rental packages, costs and other details about what Jury Pool has to offer, contact the New Haven Parks Department at (260) 749-2212 or visit their website at www.newhavenparksandrec.org



**New Haven
Police Department
Hosts Annual**



Kops 4 Kids Golf Tournament

Saturday, July 15, 2017

**Whispering Creek Golf Course
12:00 p.m. Registration**



**Contact
Tony Louden
Whispering Creek
749-5025**



Proceeds Benefit Kops 4 Kids





2016
CITY OF NEW HAVEN
Water Quality - Annual Report
Consumer Confidence Report



Commitment to Clean, Safe Water

The City of New Haven Utilities Dept is pleased to present the City's Annual Water Quality Report. This report will help inform you what steps are taken to provide you with safe and dependable water from your faucet. Please carefully read this CCR report and if you have any questions, feel free to call the phone numbers listed in this report.

Another Important Year for Water Quality

New Haven's water compares with the best. It meets or exceeds all water quality standards set by national, state, and local agencies. This CCR Report is required of all public and private water suppliers nationwide on an annual basis.

New Haven's Water Source

New Haven's water is purchased and tested from Ft. Wayne. Ft. Wayne's source of water comes from the St. Joseph River. A series of dams and pumps bring the water to Ft. Wayne for treatment and then it is pumped to New Haven for distribution to your home.

How Drinking Water is Monitored

New Haven and Ft. Wayne utilities routinely monitor for contaminants in your drinking water according to Federal and State laws. The tables included illustrate the results for the period from January 1st to December 31st 2016. All drinking water, including bottled water, may be expected to contain small amounts of contaminants.

It is important to remember that the presence of these contaminants does not pose a health risk. For more information on potential health risks, call the EPA Safe Drinking Water Hotline at 1-800-426-4791.

Important Customer Information Sources

If you have any questions or concerns regarding the water New Haven distributes to you, please contact our office Monday through Thursday 7AM - 4PM or Friday 7AM - 3:30PM at (260) 748-7050. We ask all of our customers to help us protect our water sources which are the heart of our community, our way of life, and our children's future.

Dave Jones Superintendent of Utilities

djones@newhavenin.org
www.epa.gov/safewater

Do I Need to Take Special Precautions

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people such as those with cancer, people who have undergone organ transplants, people with HIV/AIDS, and some elderly people and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers.

How to Read the Water Quality Table

- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a residual disinfectant in drinking water below which there is no known or expected risk to health. MRDLGs allow for a margin of safety.
- **Maximum Residual Disinfectant Level (MRDL):** The highest level of a residual disinfectant that is allowed in drinking water. MRDLs are set as close to the MRDLGs as feasible using the best available treatment technology.
- **Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.
- **Action Level (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.
- **Range:** The lowest to highest values for all samples tested for each contaminant. If only one sample is tested, no range is listed.
- **NA:** Not applicable.
- **ppm:** Parts per million or milligrams per liter (mg/L).
- **ppb:** parts per billion or micrograms per liter (mg/L).
- **NTU:** Nephelometric Turbidity Units (a measure of the water's cloudiness).

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at either 1-800-426-4791 or by visiting the website at <http://www.epa.gov/safewater/lead>.

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER MONITORING REQUIREMENTS NOT MET FOR NEW HAVEN WATER DEPARTMENT

Our water system recently violated a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what happened, what you should do, and what we are doing to correct this situations. We are required to monitor your drinking water for specific contaminates on a regular basis. The results of regular monitoring are an indicator of whether or not our drinking water meets EPA's Health standards. The last monitoring period testing for Total Trihalomethanes and Haloacetic Acids was either not performed or failed to comply with all the requirements of the Stage 2 Disinfectants and Disinfection Byproducts Rule (Stage 2 DBPR); therefore, we cannot be sure of the quality of the water at that time.

What should I do?

You do not need to use an alternative (i.e., bottled) water supply. However, if you have specific health concerns, consult your doctor.

What does this mean?

This is no an immediate risk. If it had been, you would have been notified immediately. Some people who drink trihalomethanes in excess of the maximum Contaminant Level (MCL) over many years may experience problems with their liver, kidneys, or central nervous system, and may have increased risk of getting cancer. Some people who drink water containing haloacetic acids in excess of the MCL over many years may have increased risk of getting cancer.

What happened? What is being done?

New Haven Water Department had 1 sample from 7/01/2016-09/30/2016 that was missed. This problem was corrected as soon as the department was notified. Checks have been put into place so it will not happen again.

For more information, please contact Dave Jones at 260-748-7056 or djones@newhavenin.org or PO Box 570, New Haven, IN 46774

Water Quality Data Table

The table lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State required us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

Contaminants	Units	MCLG	MCL	Highest Detected Level	Range Tested (low-high)	Typical Sources
<u>Disinfectants & Disinfection By-Products</u>						-
Chlorine	ppm	4	4	1.97	1.30-1.97	Additive used in treatment process to control bacteria
Chlorine Dioxide	ppb	800	800	380	38-380	Additive used in treatment process to control bacteria
Chlorite	ppm	0.8	1	0.9	0.378-0.900	By-product of drinking water chlorination
Haloacetic Acids (HAA5)	ppb	N/A	60	29.98 Highest LRAA at site #10	7.5-44.4	By-product of drinking water disinfection. NOTE: compliance is based on each location's running annual average. The location running annual average for the site with 51.0 was 30.68
Total Organic Carbon	mg/L	N/A	TT	the % of toc was measured each month and the system met the toc removal requirements	N/A	Naturally present in the environment
TTHMs (Total Trihalomethanes)	ppb	N/A	80	36.12 Highest LRAA at site #5	10.6-60.9	By-product of drinking water disinfection. NOTE: compliance is based on each location's running annual average. The location running annual average for the site with 58.5 was 35.05
Inorganic Compounds						
Fluoride	ppm	4	4	0.83	0.40-0.83	Erosion of natural deposits; Water additive that promoted strong teeth; discharge from fertilizer and aluminum factories
Nitrate (measured as Nitrogen)	ppm	10	10	8.55	0.29-8.55	Runoff from fertilizer use; Leaching from septic systems; Sewage discharge; Erosion of natural deposits
Nitrite (measured as Nitrogen)	ppm	1	1	0.24	0.00-0.240	Runoff from fertilizer use; Leaching from septic systems; Sewage discharge; Erosion of natural deposits
Sodium (optional)	ppm	0	none	29	14-29	Naturally present in the environment
Barium	ppm	2	2	0.014	0.0078-0.014	Discharge of drilling wastes; discharge from metal refineries; Erosion of natural deposits
Sulfate	ppm	N/A	N/A	47	Only one test is required per year	Naturally occurring compound
Microbiological Contaminants						
Total Coliform	% of positive samples monthly	0	5	2.51	0-2.51	Naturally present in the environment
Turbidity	% of samples below TT of 0.3 NTU	100	95	100	100.0-100.0	Soil runoff
	highest single measurement	N/A	TT	0.12	N/A	Soil runoff
Cryptosporidium	oocysts/100 L	0	TT	0	N/A	Human and animal fecal waste
Synthetic Organic Compounds						
Atrazine	ppb	3	3	0.3	0.0-0.3	Runoff of herbicide used on row crops
2,4-D	ppb	70	70	0.3	0.0-0.3	Runoff of herbicide used on row crops
Metolachlor	ppb	N/A	N/A	0.2	0.0-0.2	Runoff of herbicide used on row crops